

AMENDMENTS TO THE ABSTRACT

Please **REPLACE** the Abstract with the following amended paragraph:

(57) **Abstract:** A mixture of metal fiber concrete based on cement, granular elements and water, comprising metal fibers whose diameter ranges from 1.15 mm ~~and to~~ 1.8 mm, ~~[[et]]~~ wherein the form coefficient thereof is between 35 ~~[[t]]~~ and 45. The dosing of metal fibers is at least 80 kg/m³. This concrete mixture is particularly adapted to the creation of structural elements such as floor slabs without traditional reinforcements.